

The Wagner logo is located in the top left corner. It features a black triangle above the word "WAGNER" in a bold, black, sans-serif font. The entire logo is set against a bright yellow rectangular background.

WAGNER

The background of the advertisement is a photograph of a painter in a white and grey jumpsuit and safety glasses. He is using a long-handled airless roller to paint the upper part of a wall near a window. A white bucket and a yellow hose are visible on the floor. A large black triangle is superimposed over the center of the image, containing the text "ACCESSORIES" and "Airless roller".

ACCESSORIES **Airless roller**

BE UNSTOPPABLE!

go.wagner-group.com/contractor

SPRAYROLLER



Practical accessories kit for airless spraying and back rolling

- **Easy material delivery from the container thanks to an airless diaphragm or piston pump**
- **Spray application and back rolling in one movement:** The Wagner SprayRoller enables the efficient coating of highly textured surfaces in one operation



- **A shorter preparation time as there's no need for masking**
- **Less spray mist:** thanks to the accompanying paint roller
- **Swivel paint roller head:** for the perfect coating of corners and edges

INNER FEED ROLLER

Roller attachment fed internally for uninterrupted paint application

- **Simple material delivery from the container into the paint roller thanks to an airless diaphragm or piston pump without moving around buckets or dips.**
- **No dry edges or drips:** consistent coating thickness thanks to optimised paint distribution



- **Up to four times faster coating:** compared to conventional methods using paint rollers
- **Paint supply on demand:** simply pull the trigger on the airless gun



Rotatable paint roller head: for access to all corners and edges.

AVAILABLE FROM
APRIL 2021

25 cm long handle (Ø 8 mm): for attaching most commercially available paint rollers to 8 mm frames

Exchangeable nozzle: depending on the material, a nozzle with a different orifice can be used

Roller cage variant available for rollers with a larger internal cross-section with a roller width of 38 mm (1.5") and 23 cm (9").



SpeedShield: thanks to compatible fittings, the SpeedShield can be used for application on corners and edges without the need for masking.

G-thread: common connection to accessories such as reinforced nozzle extensions.

Integrated swivel joint: enables the spray head with nozzle and nozzle holder to be angled individually.

AVAILABLE FROM
SEPTEMBER 2021

SPRAYROLLER	
SprayRoller	-
SpeedShield	538907
TT3 415 nozzle	553415
Swivel joint	538246
SPRAYROLLER FRAME 25 CM	2411697
SPRAYROLLER FRAME INCL. EXTENSION	2420497
SPRAYROLLER CAGE 23CM	2418371
SPRAYROLLER CAGE INCL. EXTENSION	2420496

ACCESSORIES	
TipClean nozzle cleaning agent; 200 ml	2400214
Reinforced extension pole 0.9 m	2420538
Angle adapter	509907
TT3 nozzle, different sizes	553XXX
HEA Professional nozzle, different sizes	554XXX

23 cm paint roller: fast and easy disassembly by pressing the retaining clip.

Built-in distributor: the built-in distributor element ensures that the material is evenly distributed within the paint roller.



AVAILABLE FROM
MAY 2021

Easy to use: thanks to the minimalist design with exchangeable paint roller.

G-thread: enables the use of existing accessories such as airless guns or nozzle extensions.

INNER FEED ROLLER	
Roller frame	-
Distributor with sealing cap	2325720
Paint roller, 12 mm	0998230
INNER FEED ROLLER 23 CM	2418370
INNER FEED ROLLER INCL. EXTENSION (0.9 M)	2420499

ACCESSORIES	
Reinforced extension pole 0.9 m	2420538
Angle adapter	509907
Paint roller, pile height 12 mm	0998230
Paint roller, pile height 20 mm	0245717

INLINEROLLER IR 100

The sturdy complete set for coating with paint rollers

- Use of innovative pump technology for roller coating
- With the WAGNER IR 100, the coating material is pumped from the container into the paint roller via an airless diaphragm or piston pump - without moving buckets around and without drips.



- Comfortable and efficient: e.g. when working on exteriors while on scaffolding
- Economical: up to 30% faster than other manual rollers with more even paint distribution



Integrated tool: for opening the paint distributor when attaching or detaching the paint roller and for cleaning purposes.



Woven-plush paint roller: high quality padded woven plush paint roller, also for facades. The paint distributor contains closed cavities to reduce weight.

Easily resting: The InlineRoller can be easily rested on the scaffold due to the shape of its attachment.



Lightweight: thanks to the hollow aluminium design.

Handy size: the rotating joint between the handle and the extension enables you to turn the roller to the most convenient position.



Bendable, flexible hose: (incl. scaffold hook) with a large radius of action for efficient application. Depending on the material and delivery pump, high pressure hoses can be connected with a length of up to 100 m.

INLINEROLLER IR 100

Woven plush paint roller, 13 mm

Roller frame

Paint distributor

Extension 0.5 m, Rd. 32 x 1/8

Dosage handle

HP hose DN4, 27 MPa, 7.5 m, yellow

Double connector for connecting to high-pressure hose

Hose hook

INLINEROLLER IR 100

0345010

ACCESSORIES

Telescopic extension complete 60 – 100 cm 0345901

Extension complete 1.2m; Rd. 32 x 1/8 0345916

Extension complete 0.3m; Rd. 32 x 1/8 0345915

Woven plush paint roller, padded, long pile 20 mm, incl. roller frame seal 0345902

Woven plush paint roller, padded, short pile 13 mm 0345324

Roller frame seal 0345323

Roller box D = 100 x 320 0345912

POWERPAINTER 90 EXTRA SPRAYPACK



Fast, clean, perfect– the airless paint spray system for small projects

- Innovative, high-efficiency airless technology (HEA): The HEA ProTip nozzle ensures up to 55 % less overspray, as well as a longer service life thanks to reduced spray pressure.
- Easy painting: Noticeably easier paint application thanks to a soft spraying pattern with maximum control.



- Direct suction from the original container: The airless paint spraying system extracts materials directly out of the paint bucket or varnish container.
- Wagner piston pump technology: The pump draws in material in both directions of the piston - reducing movement and therefore wear and tear

Carrying handle: easy transport thanks to compact device dimensions

HEA pressure gauge: Allows the perfect control of pressure in coordination with the material being processed

DN 6, 15 m high-pressure hose: for a large radius of action.

Inlet pusher valve: for a high operating reliability and easy commissioning. Just the press of a finger, and the valve is free



Innovative HEA nozzle technology: two nozzle orifices, one directly in front of the other, guarantee a perfect spray pattern with high material throughput even in low pressure ranges

Lightweight airless gun: for fatigue-free and safe working

Direct suction: for cleaner and faster working with material straight from the paint bucket

HEA HIGH EFFICIENCY AIRLESS

Also available as a cart version



≤ 0.019" ; 1.6 l/min

POWERPAINTER 90 EXTRA SPRAYPACK

Basic unit, PowerPainter 90 Extra skid -

Airless gun Vector Pro, 1/4", incl. TradeTip 3 nozzle holder, with 4-finger trigger 538040

HP hose DN6, 15 m 523699

Pressure gauge (HEA) 2383995

HEA ProTip 517 554517

EasyGlide, special oil, 118 ml 508619

PP 90 EXTRA SPRAYPACK - CART VERSION - DPPPE 2401275

PP 90 EXTRA SPRAYPACK - SKID VERSION - DPPPE 2414079

ACCESSORIES

Airless Vector Grip gun, 1/4", incl. TradeTip 3 nozzle holder, with 2- and 4-finger trigger 538043

TradeTip 3 FineFinish nozzles, different sizes 554XXX

Nozzle extension, 15 cm, G-thread 556074

Nozzle extension, 30 cm, G-thread 556075

EasyGlide, special oil, 118 ml 508619

TipClean; 200ml 2400214

ACCESSORIES

ADDITIONAL COMPONENTS	
Gun extension incl. extension (0.9 m)	2420538
Angle adapter	509907



Accessories for ergonomic working



The right paint roller for every surface

PAINT ROLLERS	
Suitable for IR 100	
Woven plush paint roller, padded, short pile 13 mm	0345324
Woven plush paint roller, padded, long pile 20 mm, incl. roller frame seal	0345902
Suitable for inner feed roller	
Paint roller short pile 12 mm	0998230
Paint roller long pile 20 mm	0245717



AIRLESS NOZZLES + HOLDERS	
TradeTip 3 nozzles	0553XXX
HEA ProTip nozzles	0554XXX
Nozzle holder; G-thread 7/8"; for TradeTip 3 nozzles	0289390

Various airless nozzles for every application



HP hoses for the required working radius

HOSES	
HP hose DN4; NPS(M) 1/4"; 7.5 m	9984573
HP hose DN4; NPS(M) 1/4"; 10 m	2302374
HP hose DN6; NPS(M) 1/4"; 15 m	9984574
HP hose DN6; NPS(M) 1/4"; 30 m	9984575

BE UNSTOPPABLE!



BE UNSTOPPABLE!

VISIT US AT

